



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200
Fax 613 632-5246

647.7308

Job Sheet 201887



Part No: 647.7308

Job Qty: 1 pcs

Part Name: EC135 T3/P3 Cable Cutters (Removable Provisions Only)



Part Weight: 0 lbs

Status: New

Priority: Medium

Job Created: 10/16/19

Job Tracking No:

Due Date: 11/1/19

Created By: Marie Lajeunesse

Type: SOLD

Description:

Note: DWG REV N/C SHEETS 38-40

Ship Via:

Bill of Materials

Job Routing

Op No	Operation	Qty	Start Date	Due Date	Standard		Workcenter/Supplier		Sign-off
					Setup Hrs	Run Hrs	Workcenter / Supplier	Lead Time	
110	Packaging 1 - Pick Kit	1 pcs	11/1/19		0.00	0.00	Packaging 1 - 1		
							Packaging 1 - 2		
							Packaging 1 - 3		
							Packaging 1 - 4	DAS 74	NOV 08 2019
							Packaging 1 - 5	9-89	
							Packaging 1 - 6		
							Packaging 1 - 7		
							Packaging 1 - 8		
							Packaging 1 - 9		
							Packaging 1 - 10		
							Packaging 1 - 11		
							Packaging 1 - 12		
							Packaging 1 - 13		
							Packaging 1 - 14		
							Packaging 1 - 15		
							Packaging 1 - 16		
							Packaging 1 - 17		
							Packaging 1 - 18		
							Packaging 1 - 19		
							Packaging 1 - 20		
							Packaging 1 - 21		
							Packaging 1 - 22		
							Packaging 1 - 23		
							Packaging 1 - 24		
							Packaging 1 - 25		
							Packaging 1 - 26		
							Packaging 1 - 27		
							Packaging 1 - 28		
							Packaging 1 - 29		
							Packaging 1 - 30		
							Packaging 1 - 31		



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
CANADA
TEL.: 1 813 632-5200
Email: sales@dartaero.com
www.dartaerospace.com

Container No: S230216



Part: 647.7308

Job No: 201887

Serial No/Batch: S230216

Revision: NC

Inspector:

Exp Date:

Instructions:

Date: 11/08/19

Plex 10/16/19 11:41 AM Dart.lajeunesse.marie

Packaging3-1 (Identify as per dwg & Stock Location: _____ Identify and pack for shipping as per PPP MPP-195 (647.7308)

135 - DC (Document Control) Photocopy bluefile & type labels per PPP MPP-195 (647.7308)

140 - QC21 (QC21- Final Inspection - Work Order Release)

012658

Job BOM

Part / Item	Component Name	Quantity	Operation	Container
601.3011	P-Seal	1.4000 ft (1.4 ea)	110-Packaging 1 - Pick Kit	5006166
647.7501	Lower Cutter Assembly	1 pcs (1 ea)	110-Packaging 1 - Pick Kit	5219674
647.7702	Strut Assembly	2 pcs (2 ea)	110-Packaging 1 - Pick Kit	5187768
647.7701	Strut Assembly	2 pcs (2 ea)	110-Packaging 1 - Pick Kit	5220713
647.0112	Strut Bracket	4 pcs (4 ea)	110-Packaging 1 - Pick Kit	5220124
MS21266-2N	Grommet	8 Ea (8 ea)	110-Packaging 1 - Pick Kit	5157417
AN44-12A	Eyebolt	2 Ea (2 ea)	110-Packaging 1 - Pick Kit	5222628
AN665-34R	Clevis	4 Ea (4 ea)	110-Packaging 1 - Pick Kit	5207590
AN3-11A	Bolt	4 Ea (4 ea)	110-Packaging 1 - Pick Kit	5214962
AN4C7A	Bolt	4 Ea (4 ea)	110-Packaging 1 - Pick Kit	5142094
NAS6603-12	Bolt	4 Ea (4 ea)	110-Packaging 1 - Pick Kit	FM136301
NAS6603-16	Bolt	4 Ea (4 ea)	110-Packaging 1 - Pick Kit	5155974
MS21042-3	Nut use MS21042L3 per QSI 017	4 Ea (4 ea)	110-Packaging 1 - Pick Kit	5211533
MS21042L4	Nut	4 Ea (4 ea)	110-Packaging 1 - Pick Kit	5225610
AN316C4R	Nut, Jam	4 Ea (4 ea)	110-Packaging 1 - Pick Kit	5218140
MS27039-08-13	Screw	4 Ea (4 ea)	110-Packaging 1 - Pick Kit	5123937
NAS1149FN832P	Washer (AN960-8)	23 Ea (23 ea)	110-Packaging 1 - Pick Kit	5207676
NAS1149F0332P	Washer (AN960-10L)	8 Ea (8 ea)	110-Packaging 1 - Pick Kit	5216394
NAS1149C0432R	Washer (AN960C416L)	12 Ea (12 ea)	110-Packaging 1 - Pick Kit	5209072
NAS1149F0532P	Washer (AN960-516L)	2 Ea (2 ea)	110-Packaging 1 - Pick Kit	F180057-41
600.1012	Sealant PR1425B2 (#854 sem)	1 pcs (1 ea)	110-Packaging 1 - Pick Kit	5215547
601.2045	RTV (LOCTITE 598) 12/20	1 Ea (1 ea)	110-Packaging 1 - Pick Kit	5164007
MS27039-08-19	Screw	5 Ea (5 ea)	110-Packaging 1 - Pick Kit	5204996
MS21042L08	Nut	9 Ea (9 ea)	110-Packaging 1 - Pick Kit	5181009
647.1702	Skid Deflector Assembly	2 pcs (2 ea)	110-Packaging 1 - Pick Kit	5228506
LN9025-0820K	Lock Tab Washer	8 Ea (8 ea)	110-Packaging 1 - Pick Kit	5147276
LN9037-08018	Screw	8 pcs (8 ea)	110-Packaging 1 - Pick Kit	5099338
93635A212	Bolt	4 Ea (4 ea)	110-Packaging 1 - Pick Kit	5133297
601.3902	Eye Bolt	2 pcs (2 ea)	110-Packaging 1 - Pick Kit	5114844
647.1405	EC135 Upper Cutter Assembly	1 pcs (1 ea)	110-Packaging 1 - Pick Kit	5140084

3/01/2021

Job Allocations

Operation	Component Part	Required	Inventory	Allocated
110-Packaging 1 - Pick Kit	600.1012	1	28	0
	601.2045	1	13	0
	601.3011	1	115	0
	601.3902	2	28	0
	647.0112	4	76	0
	647.1405	1	2	0
	647.1702	2	4	0
	647.7501	1	4	0
	647.7701	2	16	0
	647.7702	2	7	0
	93635A212	4	46	0
	AN3-11A	4	193	0
	AN316C4R	4	43	0
	AN44-12A	2	20	0
	AN4C7A	4	171	0
	AN665-34R	4	45	0
	LN9025-0820K	8	63	0
	LN9037-08018	8	58	0
	MS21042-3	4	449	0
	MS21042L08	9	995	0
	MS21042L4	4	1,065	0
	MS21266-2N	8	14	0
	MS27039-08-13	4	302	0
	MS27039-08-19	5	622	0
	NAS1149C0432R	12	1,274	0
	NAS1149F0332P	8	2,634	0
	NAS1149F0532P	2	1,442	0
	NAS1149FN832P	23	1,617	0
	NAS6603-12	4	23	0
	NAS6603-16	4	38	0

Part Specifications

Specifications could not be found.

Plex 10/16/19 11:41 AM Dart.lajeunesse.marie

Entered: _____ Date: _____

WORK ORDER NON-CONFORMANCE / ROUTE UPDATE

NCR No. _____

Route update only



Job: _____ Part No. _____		DISPOSITION Rework ☐ ☐ ☐ Scrap ☐ ☐ ☐ Use-as-is ☐ ☐ ☐		DEPARTMENT/PROCESS Skid-tube ☐ ☐ ☐ Cross tube ☐ ☐ ☐ Eng. (Non-AW) Machining ☐ ☐ ☐ Small Fab ☐ ☐ ☐ Prod. Eng. Coord. Large Fab ☐ ☐ ☐ Finishing ☐ ☐ ☐ Rec/Store/Packaging Engineering ☐ ☐ ☐ Water Jet ☐ ☐ ☐ Supplier ☐ ☐ ☐ Quality ☐ ☐ ☐		MRB (QS1042)																																																																									
Date : _____		Sequence #: _____		QTY Affected : _____		MRB (QS1042)																																																																									
Description Work Order Deviation				Disposition																																																																											
Root Cause <table border="1"> <tr> <td>Operator</td><td>☐</td> </tr> <tr> <td>Manufacturing Process</td><td>☐</td> </tr> <tr> <td>Equip/Tooling</td><td>☐</td> </tr> <tr> <td>Handling/Preservation</td><td>☐</td> </tr> <tr> <td>Material</td><td>☐</td> </tr> <tr> <td>Product Improvement</td><td>☐</td> </tr> <tr> <td>Process Improvement</td><td>☐</td> </tr> <tr> <td>Human Factors</td><td>☐</td> </tr> </table>				Operator	☐	Manufacturing Process	☐	Equip/Tooling	☐	Handling/Preservation	☐	Material	☐	Product Improvement	☐	Process Improvement	☐	Human Factors	☐	FAULT CATEGORY <table border="1"> <tr> <td>Pressure/Forced</td><td>☐</td> <td>Contamination</td><td>☐</td> <td>Power Loss/Surge</td><td>☐</td> <td>Positioned Wrong</td><td>☐</td> </tr> <tr> <td>Bending</td><td>☐</td> <td>Misaligned/off center</td><td>☐</td> <td>Folio/Program</td><td>☐</td> <td>Outside Tolerance</td><td>☐</td> </tr> <tr> <td>Crushing</td><td>☐</td> <td>BOM/Route</td><td>☐</td> <td>Grain Direction</td><td>☐</td> <td>Drawing</td><td>☐</td> </tr> <tr> <td>Cracks</td><td>☐</td> <td>Broken/Damage/Defect</td><td>☐</td> <td>Weld</td><td>☐</td> <td>Finish</td><td>☐</td> </tr> <tr> <td>Crimp/Kink/Ripple/Wave/Twist</td><td>☐</td> <td>Incomplete/Unclear Instructions</td><td>☐</td> <td>Wrong Stock Pulled</td><td>☐</td> <td>Part Lost/Missing</td><td>☐</td> </tr> <tr> <td>Marks/Chatter</td><td>☐</td> <td>Drill Holes</td><td>☐</td> <td>Out of Sequence</td><td>☐</td> <td>Misread</td><td>☐</td> </tr> <tr> <td>Mislabeled</td><td>☐</td> <td>Fit/Function</td><td>☐</td> <td>Off-set/Set-up</td><td>☐</td> <td></td><td></td> </tr> </table>				Pressure/Forced	☐	Contamination	☐	Power Loss/Surge	☐	Positioned Wrong	☐	Bending	☐	Misaligned/off center	☐	Folio/Program	☐	Outside Tolerance	☐	Crushing	☐	BOM/Route	☐	Grain Direction	☐	Drawing	☐	Cracks	☐	Broken/Damage/Defect	☐	Weld	☐	Finish	☐	Crimp/Kink/Ripple/Wave/Twist	☐	Incomplete/Unclear Instructions	☐	Wrong Stock Pulled	☐	Part Lost/Missing	☐	Marks/Chatter	☐	Drill Holes	☐	Out of Sequence	☐	Misread	☐	Mislabeled	☐	Fit/Function	☐	Off-set/Set-up	☐		
				Operator	☐																																																																										
				Manufacturing Process	☐																																																																										
Equip/Tooling	☐																																																																														
Handling/Preservation	☐																																																																														
Material	☐																																																																														
Product Improvement	☐																																																																														
Process Improvement	☐																																																																														
Human Factors	☐																																																																														
Pressure/Forced	☐	Contamination	☐	Power Loss/Surge	☐	Positioned Wrong	☐																																																																								
Bending	☐	Misaligned/off center	☐	Folio/Program	☐	Outside Tolerance	☐																																																																								
Crushing	☐	BOM/Route	☐	Grain Direction	☐	Drawing	☐																																																																								
Cracks	☐	Broken/Damage/Defect	☐	Weld	☐	Finish	☐																																																																								
Crimp/Kink/Ripple/Wave/Twist	☐	Incomplete/Unclear Instructions	☐	Wrong Stock Pulled	☐	Part Lost/Missing	☐																																																																								
Marks/Chatter	☐	Drill Holes	☐	Out of Sequence	☐	Misread	☐																																																																								
Mislabeled	☐	Fit/Function	☐	Off-set/Set-up	☐																																																																										
Other/Details: _____																																																																															
Completed By				Lead hand / Supervisor																																																																											
QC / QA Coordinator				QC / QA Coordinator																																																																											



SUBJECT:
INSTALLATION INSTRUCTIONS
EC135 CCK

REPORT NO:
II135-21
Rev. F
11/01/16

Table 3: Parts List for Figure 3.5 and Figure 3.6

F/N	7301, 7321		7304, 7324		7307, 7327		PART NUMBER	DESCRIPTION
	7302, 7322	7303, 7323	7305, 7325	7306, 7326	7305, 7325	7308, 7328		
1		1					647.7401	UPPER CUTTER ASSY
11		2		2		2	647.7701	STRUT ASSY
14		2		2		2	647.0112	STRUT BRACKET
25	1		1		1		647.7820	CROSS BRACKET FWD
26	1		1		1		647.7818	MOUNTING CHANNEL
40		2		2		2	601.3119	CLEVIS (AN665-34R)
46		2		2		2	601.2826	BOLT (AN3-11A)
48		2		2		2	601.2669	BOLT (AN4C7A)
52		4		4		4	601.2973	LOCKNUT (MS21042-08)
53	15	2	15	2	15	2	601.2943	LOCKNUT (MS21042-3)
54		2		2		2	601.3209	LOCKNUT (MS21042L4)
55		2		2		2	601.3128	NUT (AN316C4R)
56	13		14		14		647.8510	INSERT
61		2		2		2	601.2988	SCREW (MS27039-0813)
62		2		2		2	601.3137	SCREW (MS27039-0816)
64	2		2		2		601.3069	SCREW (MS27039-1-09)
66	2		2		2		601.1953	SCREW (MS27039-1-12)
68	2		2		2		601.3012	SCREW (MS27039-1-15)
69	4		4		4		601.2637	SCREW (MS27039-1-16)
71	6		5		5		601.2829	SCREW (MS24694S54)
85		8		15		15	601.2764	WASHER (NAS1149FN832P)
86	23	4	17		17		601.1607	WASHER (NAS1149F0332P)
87		4	4		4		601.2638	WASHER (NAS1149F0432P)
95	1						647.7919	SHIM
96		REF		REF		REF	647.5701	GPS Mount Kit
97			1		1		647.7823	Cross Bracket Aft
98			1		1		647.2114	Upper U Channel
99				1			647.1404	Cutter Assy (Upper)
100				5		5	601.3962	Screw (MS27039-0827)
101				5		5	601.1541	Locknut (MS21042L08)
109			2		2		601.2910	Screw (MS27039-1-18)
111						1	647.1405	Cutter Assy (Upper)



SUBJECT:
INSTALLATION INSTRUCTIONS
EC135 CCK

REPORT NO:
II135-21
Rev. F
11/01/16




Figure 3.4: Cross Bracket AFT Rivet Location

Table 2: Parts List for Figure 3.3 and Figure 3.4

F/N	7301, 7304, 7307		PART NUMBER	DESCRIPTION
	7302, 7305, 7322, & 7325	7303, 7306, 7308, 7323, 7326, & 7328		
21	2	0	647.7916	BRACKET
22	1	0	647.7917	BRACKET, LH
23	1	0	647.7918	BRACKET, RH
27	1	0	647.7821	EYE BOLT FITTING LH
28	1	0	647.7822	EYE BOLT FITTING RH
39	2	0	601.3120	EYE BOLT (AN44-12A)
53	10	0	601.2943	LOCKNUT (MS21042-3)
54	0	10	601.3209	LOCKNUT (MS21042L4)
58	2	0	647.8512	INSERT
59	2	0	601.3127	LOCKNUT (MS21042L5)
64	10	0	601.3069	SCREW (MS27039-1-09)
80	16	0	601.2020	RIVET (CR3213-5-3)
81	12	0	601.2481	RIVET (CR3213-5-4)
86	20	0	601.1607	WASHER (NAS1149F0332P)
88	4	0	601.3126	WASHER (NAS1149F0532P)



SUBJECT:
INSTALLATION INSTRUCTIONS
EC135 CCK

REPORT NO:
II135-21
Rev. F
11/01/16

Table 4: Parts List for Figure 4.1

F/N	7301, 7304, 7307		PART NUMBER	DESCRIPTION
	7302, 7305, 7341	7303, 7306, 7308		
29	1	0	647.1914	BRACKET
53	3	0	601.2943	LOCKNUT (MS21042-3)
63	3	0	601.2198	SCREW (MS27039-1-07)
86	6	0	601.1607	WASHER (NAS1149F0332P)

CAUTION

Be careful when drilling to avoid drilling into equipment in the gearbox.

- 4.2 Remove Nosecover, position the Bracket (F/N 29) on the aircraft as shown, and transfer drill holes onto the gearbox. Make sure that the top of the Bracket is positioned against the existing structure.
- 4.3 Clean, deburr, and treat reworked areas with MIL-C-81706 (Alodine 1200) then Epoxy primer MIL-P-23377 or their equivalents.
- 4.4 Install Bracket using Screws (F/N 63), Washers (F/N 86), and Nuts (F/N 53) as shown in Figure 4.1.

SUBJECT:
INSTALLATION INSTRUCTIONS
EC135 CCK

REPORT NO:
II135-21
Rev. F
11/01/16

- 5.7 Temporarily install Lower Cutter Assy (F/N 2) as guide for locating the Tee (F/N 6) and Clips (F/N 17). Position Tee and Clips and temporarily install as shown in Figure 5.4.




Figure 5.4: Tee and Clips Fitment

Table 9: Parts List for Figure 5.4:

F/N	7301, 7331		7304, 7307, 7334		PART NUMBER	DESCRIPTION
	7302, 7332	7303, 7333	7305, 7332	7306, 7308, 7335		
2	0	1	0	1	647.7501	LOWER CUTTER ASSY
6	1	0	1	0	647.1913	TEE
17	4	0	4	0	647.7912	CLIP
32	A/R	A/R	A/R	A/R	647.1812	SHIM

SUBJECT:
INSTALLATION INSTRUCTIONS
EC135 CCK

REPORT NO:
II135-21
Rev. F
11/01/16




Figure 5.14: Lower Doubler Assy and Rivet Locations (TYP. 2 PL)

Table 16: Parts List for Figure 5.12 and Figure 5.12a

F/N	7301, 7331		7304, 7307, 7334		PART NUMBER	DESCRIPTION
	7302, 7332	7303, 7333	7305, 7332	7306, 7308, 7335		
2	0	1	0	1	647.7501	LOWER CUTTER ASSY
10	0	2	0	2	647.7702	STRUT ASSY
15	2	0	2	0	647.7910	ANGLE BRACKET
31	2	0	2	0	647.1811	SPACER
38	0	2	0	0	601.3131	Eye Bolt (AN44-5A)
40	0	2	0	2	601.3119	CLEVIS (AN665-34R)
48	0	2	0	2	601.2669	BOLT (AN4C7A)
49	0	4	0	0	601.1500	BOLT (NAS6603-12)
50	0	4	0	0	601.3130	BOLT (NAS6603-16)
52	0	2	0	2	601.2973	LOCKNUT (MS21042-08)
54	0	2	2	2	601.3209	LOCKNUT (MS21042L4)
55	0	2	0	2	601.3128	NUT (AN316C4R)
61	0	2	0	2	601.2988	SCREW (MS27039-0813)
76	16	0	16	0	601.0790	CHERRY RIVET (CR3213-4-3)
77	8	0	8	0	601.1915	CHERRY RIVET (CR3213-4-4)
79	6	0	6	0	601.2991	CHERRY RIVET (CR3213-4-6)
85	0	4	0	4	601.2764	WASHER (NAS1149FN832P)



SUBJECT:
INSTALLATION INSTRUCTIONS
EC135 CCK

REPORT NO:
II135-21
Rev. F
11/01/16

F/N	7301, 7331		7304, 7307, 7334		PART NUMBER	DESCRIPTION
	7302, 7332	7303, 7333	7305, 7332	7306, 7308, 7335		
86	0	4	0	4	601.1607	WASHER (NAS1149F0332P)
87	0	4	0	4	601.2638	WASHER (NAS1149F0432P)
108	0	0	0	4	601.3963	Bolt (93635A212)
110	0	0	0	2	601.3902	Eye Bolt

SUBJECT:
INSTALLATION INSTRUCTIONS
EC135 CCK

REPORT NO:
II135-21
Rev. F
11/01/16




Figure 6.2: 647.1702 Skid Deflector Installation

Table 18: Parts List for Figure 6.2

F/N	7304/7307/7352		PART NUMBER	DESCRIPTION
	7305	7306, 7308		
105	0	2	647.1702	Skid Deflector Assy
106	0	8	601.3655	Lock Washer (LN9025-0820K)
107	0	8	601.3654	Bolt (LN9037-08018)

SUBJECT:
INSTRUCTIONS FOR CONTINUED AIRWORTHINESS
EC135 CCK

REPORT NO.
ICA135-21
Rev. C
11/01/16




Figure 3: Bracket and Cross Bracket AFT Installation

Table 2: Parts List for Figure 3

F/N	7301, 7304, 7307		PART NUMBER	DESCRIPTION
	7302, 7305, 7322, & 7325	7303, 7306, 7308, 7323, 7326, & 7328		
21	2	0	647.7916	BRACKET
22	1	0	647.7917	BRACKET, LH
23	1	0	647.7918	BRACKET, RH
27	1	0	647.7821	EYE BOLT FITTING LH
28	1	0	647.7822	EYE BOLT FITTING RH
39	2	0	601.3120	EYE BOLT (AN44-12A)
53	10	0	601.2943	LOCKNUT (MS21042-3)
54	0	10	601.3209	LOCKNUT (MS21042L4)
58	2	0	647.8512	INSERT
59	2	0	601.3127	LOCKNUT (MS21042L5)
64	10	0	601.3069	SCREW (MS27039-1-09)
80	16	0	601.2020	RIVET (CR3213-5-3)
81	12	0	601.2481	RIVET (CR3213-5-4)
86	20	0	601.1607	WASHER (NAS1149F0332P)
88	4	0	601.3126	WASHER (NAS1149F0532P)



SUBJECT:
INSTRUCTIONS FOR CONTINUED AIRWORTHINESS
EC135 CCK

REPORT NO.
ICA135-21
Rev. C
11/01/16

Table 3: Parts List for Figure 4 & Figure 5

F/N	7301		7304		7307		PART NUMBER	DESCRIPTION
	7302, 7322	7303, 7323	7305, 7325	7306, 7326	7305, 7325	7308, 7328		
1		1					647.7401	UPPER CUTTER ASSY
11		2		2		2	647.7701	STRUT ASSY
14		2		2		2	647.0112	STRUT BRACKET
25	1		1		1		647.7820	CROSS BRACKET FWD
26	1		1		1		647.7818	MOUNTING CHANNEL
40		2		2		2	601.3119	CLEVIS (AN665-34R)
46		2		2		2	601.2826	BOLT (AN3-11A)
48		2		2		2	601.2669	BOLT (AN4C7A)
52		4		4		4	601.2973	LOCKNUT (MS21042-08)
53	15	2	15	2	15	2	601.2943	LOCKNUT (MS21042-3)
54		2		2		2	601.3209	LOCKNUT (MS21042L4)
55		2		2		2	601.3128	NUT (AN316C4R)
56	13		14		14		647.8510	INSERT
61		2		2		2	601.2988	SCREW (MS27039-0813)
62		2		2		2	601.3137	SCREW (MS27039-0816)
64	2		2		2		601.3069	SCREW (MS27039-1-09)
66	2		2		2		601.1953	SCREW (MS27039-1-12)
68	2		2		2		601.3012	SCREW (MS27039-1-15)
69	4		4		4		601.2637	SCREW (MS27039-1-16)
71	6		5		5		601.2829	SCREW (MS24694S54)
85		8		15		15	601.2764	WASHER (NAS1149FN832P)
86	23	4	17		17		601.1607	WASHER (NAS1149F0332P)
87		4	4		4		601.2638	WASHER (NAS1149F0432P)
95	1						647.7919	SHIM
96		REF		REF		REF	647.5701	GPS Mount Kit
97			1		1		647.7823	Cross Bracket Aft
98			1		1		647.2114	Upper U Channel
99				1			647.1404	Cutter Assy (Upper)
100				5		5	601.3962	Screw (MS27039-0827)
101				5		5	601.1541	Locknut (MS21042L08)
109			2		2		601.2910	Screw (MS27039-1-18)
111				1		1	647.1405	Cutter Assy (Upper)



SUBJECT:
INSTRUCTIONS FOR CONTINUED AIRWORTHINESS
EC135 CCK

REPORT NO.
ICA135-21
Rev. C
11/01/16

Table 5: Parts List for Figure 7 and Figure 8

F/N	7301, 7304, 7307		PART NUMBER	DESCRIPTION
	7302, 7305, 7341	7303, 7306, 7308		
4	1	0	647.1601	AFT WIPER DEFLECTOR ASSY
5	1	0	647.1610	FWD WIPER DEFLECTOR
30	1	0	647.1602	DOUBLER ASSY
67	4	4	601.1622	SCREW (MS27039-1-14)
72	3	0	601.2999	SCREW
86	4	0	601.1607	WASHER (NAS1149F0332P)
89	3	0	601.2375	WASHER



SUBJECT:
INSTRUCTIONS FOR CONTINUED AIRWORTHINESS
EC135 CCK

REPORT NO.
ICA135-21
Rev. C
11/01/16

Table 15: Parts List for Figure 18 and Figure 19

F/N	7301, 7331		7304, 7307, 7334		PART NUMBER	DESCRIPTION
	7302, 7332	7303, 7333	7305, 7332	7306, 7308, 7335		
2	0	1	0	1	647.7501	LOWER CUTTER ASSY
10	0	2	0	2	647.7702	STRUT ASSY
15	2	0	2	0	647.7910	ANGLE BRACKET
31	2	0	2	0	647.1811	SPACER
38	0	2	0	0	601.3131	Eye Bolt (AN44-5A)
40	0	2	0	2	601.3119	CLEVIS (AN665-34R)
48	0	2	0	2	601.2669	BOLT (AN4C7A)
49	0	4	0	4	601.1500	BOLT (NAS6603-12)
50	0	4	0	4	601.3130	BOLT (NAS6603-16)
52	0	2	0	2	601.2973	LOCKNUT (MS21042-08)
54	0	2	2	2	601.3209	LOCKNUT (MS21042L4)
55	0	2	0	2	601.3128	NUT (AN316C4R)
61	0	2	0	2	601.2988	SCREW (MS27039-0813)
76	16	0	16	0	601.0790	CHERRY RIVET (CR3213-4-3)
77	8	0	8	0	601.1915	CHERRY RIVET (CR3213-4-4)
79	6	0	6	0	601.2991	CHERRY RIVET (CR3213-4-6)
85	0	4	0	4	601.2764	WASHER (NAS1149FN832P)
86	0	4	0	4	601.1607	WASHER (NAS1149F0332P)
87	0	4	0	4	601.2638	WASHER (NAS1149F0432P)
108	0	0	0	4	601.3963	Bolt (93635A212)
110	0	0	0	2	601.3902	Eye Bolt

SUBJECT:
INSTRUCTIONS FOR CONTINUED AIRWORTHINESS
EC135 CCK

REPORT NO.
ICA135-21
Rev. C
11/01/16




Figure 21: 647.1702 Skid Deflector Installation

Table 17: Parts List for Figure 21

F/N	7304, 7307, 7352		PART NUMBER	DESCRIPTION
	7305	7306, 7308		
105	0	2	647.1702	Skid Deflector Assy
106	0	8	601.3655	Lock Washer (LN9025-0820K)
107	0	8	601.3654	Bolt (LN9037-08018)